



## VIZA.EX15229 - Fittings, Grooved and Plain End

## Fittings, Grooved and Plain End

[See General Information for Fittings, Grooved and Plain End](#)**SHANDONG LEDE MACHINERY CO LTD**

EX15229

No 3998

West Waihuan N Rd

Weicheng District

Weifang, Shandong 261057 CHINA

The following fittings are intended for use with WEIFANG LEDE MACHINERY CO LTD Listed rubber gasketed fittings covered in File EX15228.

**Grooved**

Model	Type	Size In.	Rated Pressure (psig)
L01	90 Degree Elbow (Long Radius)	1", 1-1/4", 1-1/2"	300
XGQT01L	90 Degree Elbow (Long Radius)	2", 2-1/2", 76.1 mm, 3", 4", 139.7 mm, 5", 165.1 mm, 6", 8", 10", 12"	300
XGQT01	90 Degree Elbow	2", 2-1/2", 76.1 mm, 3", 108 mm, 4", 133 mm, 139.7 mm, 5", 159mm, 165.1 mm, 6", 216.3 mm, 8", 267.4 mm, 10", 318.5 mm, 12", 14", 16"	300
XGQT011L	45° Elbow Long Radius	2, 2-1/2, 3 OD (76.1 mm), 3, 4, 5-1/2 OD (139.7 mm), 5, 6-1/2 OD (165.1 mm), 6, 8, 10, 12	300
XGQT012	22.5° Elbow Long Radius	1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 108 mm, 4, 5-1/2 OD (139.7 mm), 5, 159 mm, 6-1/2 OD (165.1 mm), 6, 216.3 mm, 8, 267.4 mm, 318.5 mm, 10, 12, 14, 16	300
XGQT013	11.25° Elbow Long Radius	1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 108 mm, 4, 5-1/2 OD (139.7 mm), 5, 159 mm, 6-1/2 OD (165.1 mm), 6, 216.3 mm, 8, 267.4 mm, 318.5 mm, 10, 12, 14, 16	300
XGQT014	Reducing End line elbow	1 x 1/2, 1-1/4 x 1/2, 3/4, 1; 1-1/2 x 1/2, 3/4, 1; 2 x 1/2, 3/4, 1	300
XGQT03L	Tee (Long Height)	1", 1-1/4", 1-1/2", 2", 2-1/2", 76.1 mm, 3", 4", 139.7 mm, 5", 165.1 mm, 6", 8", 10", 12";	300
XGQT03	Tee	2", 2-1/2", 76.1 mm, 3", 108 mm, 4", 133 mm, 12"; 139.7 mm, 5", 159 mm, 165.1 mm, 6", 216.3 mm, 8", 267.4 mm, 10", 318.5 mm, 12" 14", 16"	300

XGQT03+	Grooved Reducing Tee Standard	2" x 1-1/4", 1-1/2" 2-1/2" x 1-1/4", 1-1/2", 2" 3" x 1-1/4", 1-1/2", 2" 4" x 2", 2-1/2", 3" 6" x 2", 2-1/2", 3", 4" 8" x 2", 2-1/2", 3", 4", 5", 6" 10" x 4", 5", 6", 8" 12 x 4", 5", 6", 8", 10"	300
XGQT03-R3	Reducing Tee	1-1/2" x 1-1/4", 2" x 1-1/4", 2" x 1-1/2", 2-1/2" x 1-1/4", 2-1/2" x 1-1/2", 2-1/2" x 2", 76.1 mm x 1-1/4", 76.1 mm x 1-1/2", 76.1 mm x 2", 3" x 1-1/2", 3" x 2", 3" x 2-1/2", 3" x 76.1 mm, 108 mm x 2", 108 mm x 76.1 mm, 108 mm x 3" 4" x 2", 4" x 2-1/2", 4" x 76.1 mm, 4" x 3", 139.7 mm x 2", 139.7 mm x 76.1 mm, 139.7 mm x 3", 139.7 mm x 4", 5" x 2", 5" x 2-1/2", 5" x 76.1 mm, 5" x 3", 5" x 4", 159 mm x 76.1 mm, 159.1 mm x 3", 159 mm x 4", 159 mm x 139.7 mm, 165.1 mm x 2", 165.1 mm x 76.1 mm, 165.1 mm x 3", 165.1 mm x 4", 165.1 mm x 139.7 mm, 6" x 2", 6" x 2-1/2", 6 x 76.1 mm, 6" x 3", 6" x 4", 6" x 139.7 mm, 6" x 5", 8" x 2-1/2", 8" x 76.1 mm, 8" x 3", 8" x 4", 8" x 139.7 mm, 8" x 5", 8" x 159 mm, 8" x 165 mm, 8" x 6", 10 x 4, 6-1/2 OD (165.1 mm), 6, 8; 12 x 4, 6-1/2 OD (165.1 mm), 6, 8, 10	300
XGQT03S	Threaded Reducing Tee	2 x 1, 1-1/4, 1-1/2; 2-1/2 x 1, 1-1/4, 1-1/2, 2; 3 OD (76.1 mm) x 1, 1-1/4, 1-1/2, 2; 3 x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm); 4 x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3; 5-1/2 OD (139.7 mm) x 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 4; 5 x 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 4; 6-1/2 OD (165.1 mm) x 2, 2-1/2, 3 OD (76.1 mm), 3, 4; 6 x 2, 2-1/2, 3 OD (76.1 mm), 3, 4; 8 x 2-1/2, 3 OD (76.1 mm), 3, 4	300
XGQT05	Cross	2", 2-1/2", 76.1 mm, 3", 4", 139.7 mm, 5", 165.1 mm, 6", 8", 10", 12" 14", 16"	300
5113	Long Height Cross	1-1/4", 1-1/2", 2", 2-1/2", 76.1 mm, 3", 4", 139.7 mm, 5", 165.1 mm, 6", 8" 10", 12"	300
XGQT07	Reducer (Groove x Groove)	1-1/4"x1", 1-1/2"x1", 1-1/2"x1-1/4", 2"x1", 2"x1-1/4", 2"x1-1/2", 2-1/2"x1", 2-1/2"x1-1/4", 2-1/2"x1-1/2", 2-1/2" x 2", 76.1mm x 1", 76.1 mm x 1-1/4", 76.1 mm x 1-1/2"	300

<p>XGQT07</p>	<p>Reducer (Groove x Groove)</p>	<p>76.1 mm x 2", 3" x 1-1/4", 3" x 1-1/2", 3" x 2", 3" x 2-1/2", 3" x 76.1 mm, 108 mm x 1", 1-1/4", 1-1/2", 2-1/2" 108 mm x 2", 108 mm x 76.1 mm, 108 mm x 3", 4" x 1-1/4", 4" x 1-1/2", 4" x 2", 4" x 2-1/2", 4" x 76.1 mm, 4" x 3", 133 mm x 1", 1-1/4", 1-1/2", 2" 133 mm x 76.1 mm, 133 mm x 3", 133 mm x 4", 139.7 mm x 2", 139.7 mm x 2-1/2", 139.7 mm x 76.1 mm, 139.7 mm x 3", 139.7mm x 108mm, 139.7 mm x 4", 5" x 2", 5" x 2-1/2", 5" x 76.1 mm, 5" x 3", 5" x 4", 159 mm x 1", 1-1/4", 1-1/2", 2", 159 mm x 76.1 mm, 159 mm x 3", 159 mm x 108 mm, 159 mm x 4", 159 mm x 139.7 mm, 165.1 mm x 2", 165.1 mm x 2-1/2", 165.1 mm x 76.1 mm, 165.1 mm x 3", 165.1 mm x 108 mm, 165.1 mm x 4", 165.1 mm x 139.7 mm, 6" x 1-1/2", 6" x 2", 6" x 2-1/2", 6" x 76.1 mm, 6" x 3", 6" x 4", 6" x 133 mm, 6" x 139.7 mm, 6" x 5", 8" x 2-1/2", 8" x 76.1 mm, 8" x 3", 8" x 108 mm, 8" x 4, 8" x 139.7 mm, 8" x 5, 8" x 159 mm, 8" x 165.1 mm, 8" x 6" 10 x 108mm, 4, 139.7mm, 5, 159mm, 6-1/2 OD (165.1 mm), 6, 8; 12 x 4, 139.7mm, 5, 159mm, 6-1/2 OD (165.1 mm), 6, 8, 10 14" x 10", 12" 16" x 12", 14"</p>	<p>300</p>
<p>XGQT07S</p>	<p>Threaded Reducer</p>	<p>2 x 1, 1-1/4, 1-1/2; 2-1/2 x 1, 1-1/4, 1-1/2, 2; 3 OD (76.1 mm) x 1, 1-1/4, 1-1/2, 2; 3 x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm); 4 x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3; 5-1/2 OD (139.7 mm) x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 4; 5 x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 4; 6-1/2 OD (165.1 mm) x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4; 6 x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 4; 8 x 1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD (76.1 mm), 3, 4</p>	<p>300</p>
<p>XGQT06</p>	<p>Cap</p>	<p>1", 1-1/4", 1-1/2", 2", 2-1/2", 76.1 mm, 3", 108 mm, 4", 133 mm, 139.7 mm, 5", 159 mm, 165.1 mm, 6", 8", 10", 12"</p>	<p>300</p>
<p>XGQT061</p>	<p>Eccentric hole Cap</p>	<p>2 x 1, 1-1/2; 2-1/2 x 1, 1-1/4, 1-1/2, 2, 76.1 mm x 1, 1-1/4, 1-1/2, 2; 3 x 1, 1-1/4, 1-1/2, 2; 4 x 1, 1-1/4, 1-1/2, 2; 5 x 1-1/2, 2; 139.7 mm x 1-1/2, 2; 165.1 mm x 1, 1-1/2, 2; 6 x 1, 1-1/2, 2; 8 x 1, 1-1/2, 2; 10 x 1, 1-1/2, 2; 12 x 1, 1-1/2, 2;</p>	<p>300</p>

XGQT08	Flange Adapter Grooved	2, 2-1/2, 76.1 mm, 3, 108 mm, 4, 133 mm, 139.7 mm, 5, 159 mm, 165.1 mm, 6, 8, 10, 12	300
011	45 Degree Elbow	1", 1-1/4", 1-1/2"	300
XGQT011	45 Degree Elbow	2", 2-1/2", 76.1 mm, 3", 108 mm, 4", 133 mm, 139.7 mm, 5", 159 mm, 165.1 mm, 6", 216.3 mm, 8", 267.4 mm, 10", 318.5 mm, 12", 14", 16"	300
L981	Flange Adaptor ANSI125	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	300
2601	Drain Elbow	1-1/2 x 1, 2 x 1, 2-1/2 x 1, 76.1 mm x 1, 3 x 1, 4 x 1, 139.7 mm x 1, 5 x 1, 165.1 mm x 1, 6 x 1, 8 x 1	300
7602	Adapter Nipple	1-1/4", 1-1/2", 2", 2-1/2", 3"	300
7601	Reducing Nipple	1-1/4" x 1" 1-1/2" x 1", 1-1/4" 2" x 1", 1-1/4", 1-1/2" 2-1/2" x 1", 1-1/4", 1-1/2", 2" 76.1 mm x 1", 1-1/4", 1-1/2", 2", 2-1/2" 3" x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300
7502	Adapter Nipple	1-1/4", 1-1/2", 2", 2-1/2"	300
7501	Reducing Nipple	1-1/4" x 1" 1-1/2" x 1", 1-1/4" 2" x 1", 1-1/4", 1-1/2" 2-1/2" x 1", 1-1/4", 1-1/2", 2" 76.1 mm x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300
2131	90 Degree Elbow	2, 3, 4, 6, 8, 10, 12	1000
2231	45 Degree Elbow	2, 3, 4, 6, 8, 10, 12	1000
3131	Tee	2, 3, 4, 6, 8, 10, 12	1000
5131	Cross	2, 3, 4, 6, 8, 10, 12	1000
7131	Concentric Reducer, Grooved	3 x 2; 4 x 2, 3; 6 x 2, 3, 4; 8 x 3, 4, 6; 10 x 4, 6, 8; 12 x 4, 6, 8, 10	1000
3233	Reducing Tee, Grooved	3 x 2; 4 x 2, 3; 6 x 2, 3, 4; 8 x 2, 3, 4, 6; 10 x 4, 6, 8; 12 x 4, 6, 8, 10	1000
6131	Cap	2, 3, 4, 6, 8, 10, 12	1000

Trademark and/or Tradename: "PREM", **LEDE**, "SECURE AND SE"

Last Updated on 2021-01-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"